



# FIELD MARSHAL

## RICE DEHUSKING ROLLS



The Ultimate...



## INTRODUCTION

In 1988, a humble beginning was made by setting up of a unit at Nasik where various types of high performance industrial rubber products including rice-dehusking rolls and polishers were manufactured and marketed domestically and globally under the name of 'Field Marshal' rice dehusking rolls.

Our manufacturing facilities equipped with German technology and research and development in state-of-the-art laboratory ensures that you get consistency, reliability and high performance. Stringent quality control along with closely well knitted formulation suitable for the rice dehusking rolls has made 'Field Marshal' the ultimate choice of many rice mill owners. Every step of manufacturing process is carefully monitored from raw material stage till dispatch. The infrastructure and processes have been integrated so as to meet quality standards. When you think of an organisation that leads by finesse, you think of DEYBROS.

## SALIENT FEATURES

### SHELLING EFFICIENCY:

It has shelling efficiency of 85% to 90% for each shelling.

### BONDING STRENGTH:

Guaranteed against bond between Rubber and Shell.

### HEAT RESISTANCE:

Raw materials used in the rubber compound are perfectly cured to enhance high degree of heat resistance even after continuous shelling.

### SHELLING QUALITY:

Balanced elasticity and hardness gives smooth shelling without vibrations thereby ensuring safeguard towards breakage of rice.

### EXCELLENT WEAR RESISTANCE:


Well formulated compound "Field Marshal" Rubber Rolls has excellent wear resistance at working temperatures.



## RANGE OF RUBBER ROLLS

SR.NO.	TYPE OF ROLL	LENGTH IN MM	OD IN MM	ID IN MM
1	Stake / Binny F2/F3-10"	254	260	202 / 203
2	Schule / Dhandekar DS/DL-10"	260	224	157 / 158
3	Schule DS / DL-6"	152	224	157 / 158
4	Schule DS / DL-5"	152	224	157 / 158
5	DL/6" Single key	152	224	158

## MILD STEEL / CAST IRON / ALUMINIUM DRUM SLEEVES



## SPECIFICATIONS

SR. NO.	SIZE 4" x 8 3/4"	SIZE 6" x 8 3/4"	SIZE 8" x 8 3/4"	SIZE 10" x 10"
A	222.0 ± 1 (mm)	222.0 ± 1 (mm)	222.0 ± 1 (mm)	254.0 ± 2 (mm)
B	185.5 ± 0.5	183.5 ± 0.5	185.5 ± 0.5	2.5 ± 1
C	175.5 ± 0.5	174 ± 0.5	175.5 ± 0.5	195 ± 1
D	139.7 ± 0.5	139.7 ± 0.5	140.0 ± 0.5	142.0 ± 0.5
E	114.3 ± 0.1	114.3 ± 0.1	115.0 ± 0.1	116.0 ± 0.3
F	13.0 x 3 Hole	13.0 x 3 Hole	13.0 x 3 Hole	13.0 x 4 Hole
G	101.6 ± 0.5	152.4 ± 0.5	203.0 ± 0.5	254 ± 0.5
H	43.3 ± 0.5	69.2 ± 0.5	75.0 ± 0.5	117.0 ± 0.5
I	5.0 ± 0.3	8.0 ± 0.3	8.0 ± 0.3	10.0 ± 0.3
J	53.3 ± 0.3	76.2 ± 0.3	120.0 ± 0.3	127.0 ± 0.3


Besides above, we can manufacture 12", 14" and 20" length rolls.

## **GUARANTEE**

Our products are guaranteed against any manufacturing defect.  
Free replacement is given after ensuring the defect by our field representative.

## **CAUTION**

Field Marshal rolls are marketed only through genuine outlets state wise.  
For further details contact our sales office.



## **DEYBROS POLYMER PRODUCT**

### **House of Industrial Rubber Products**

---

#### **NASIK :**

Plot No. 76 & 83, Sinnar Taluka Co-op. Industrial Estate Ltd., Nasik-Shirdi Road, Musalgaon,  
Sinnar : 422103, Dist. Nasik (Maharashtra). INDIA.  
Tel + 91-2551-240157/58

---

#### **MUMBAI :**

41, Mantri House, Swami Samarth Lane, Off M. G. Road, Opp. Samruddhi Shopping Centre,  
Kandivli (W), Mumbai 400 067. INDIA.

Tel.: +91-22-28041266/28041292/28046345/28046346 Fax: +91-22-28041291

E-mail: samir123@vsnl.net / deandnephew@rediffmail.com

[www.deybrospolymer.com](http://www.deybrospolymer.com)

DEYBROS

*The Polymer Fabricators...*



## DEYBROS POLYMER PRODUCT

**Deybros** has a long history of product development and innovation. We specialize in the technology, development production and marketing of high performance various types of industrial rubber products.

We are concerned not only with meeting the needs of the industries we serve to-day, but are also committed to developing technologies and products for the customers and markets of the future. In addition to supply sophisticated proven products to satisfy our customers needs, we specialize in providing expert technical consultation to help our customers obtain optimum performance with all of our products.

Rubber products are manufactured at the most modern plant using latest technology and raw materials. The factory inhouses a well equipped modern machineries, testing laboratory with all facilities to test raw materials and rubber compound to be used in the production.

Stringent quality control along with closely well knitted formulation suitable for various rubber products has made the ultimate choice of many consumers.



### Rice De-Husking Rubber Rolls

- Range : Satake / Binny F2 / F3 - 10"  
Schule / Dhandekar DS / DL - 10"  
Schule DS / DL - 6"
- Hardness : 90° - 94° Shore A



## DEYBROS POLYMER PRODUCT

### Silicone Rubber Photo Copier Rolls

- Range : Available in various sizes
- Hardness : 20° - 50° Shore A



### Offset Printing Rolls Flexo Printing Rolls Roto Gravure Printing Rolls Ultra Violet Printing Rolls

- Range : Available in various sizes
- Hardness : 20° - 50° Shore A



## DEYBROS POLYMER PRODUCT



### Sponge Rubber Rolls

- Range : Highly resilient soft cellular sponge rubber roll available in various sizes.
- Colour : Orange / Black / White



### Silicone Rubber Sleeves (Corona Treater) & Hot Stamping Rolls

- Range : Available in various sizes
- Hardness : 60<sup>0</sup> - 75<sup>0</sup> Shore A
- Temperature Resistivity : Upto 300°C



## DEYBROS POLYMER PRODUCT

Paper Feed Rolls  
X-Ray Machine Rolls  
Photographic Rolls

- Range : Available in Various Sizes
- Hardness : 10<sup>0</sup> - 60<sup>0</sup> Shore A



Sponge Rubber Coated  
Flat and Timing Belts

- Range : Available in various sizes
- Hardness : Upto 30<sup>0</sup> Shore A



## DEYBROS POLYMER PRODUCT



### 'V' & 'U' Grooved Rubber Belts

- Range : Available in various sizes
- Hardness : 30° - 60° Shore A



### Rubber Coated (Linatex) on P. U. & Rubber Timing Belts

- Range : Available in various sizes
- Hardness : 30° - 50° Shore A



## DEYBROS POLYMER PRODUCT

Rubber Feeder Belts  
Sponge Rubber  
Sandwiched Belts  
Rough Top Surface  
'V' Belts

- Range : Available in various sizes
- Hardness : 30° - 60° Shore A



Transparent Silicone  
Rubber Tubes  
(FDA Approved)

- Range : Available in continuous length upto 50 mtrs.
- Hardness : 50° - 60° Shore A

### **Guarantee :**

Our products are guaranteed against any manufacturing defect.  
Free replacement is given after ensuring the defect by our field representative.

### **Material of construction :**

Natural / Nitrile / Neoprene / Hypalon / EPDM / Silicone / Polyurethane / Viton.

### **User Industries :**

Modern rice mills, Pharmaceuticals, Packaging, Office automation equipments, Printing, Distilleries, Breweries, Welding electrodes, Plastic, Ceramic Tiles, News print and Allied industries.



### **DEYBROS POLYMER PRODUCT**

House of Industrial Rubber Products

#### **Nasik:**

Plot No. 76 & 83, STICE, Nasik-Shirdi Road, Musalgaon, Tal. Sinnar: 422103, Dist. Nasik (Maharashtra) INDIA.  
Tel. 02551-240157 • Fax: 02551-240158

#### **Mumbai:**

41, Mantri House, Swami Samarth Lane, Off M. G. Road, Opp Samruddhi Shopping Centre, Kandivli (W), Mumbai 400 067. INDIA  
Tel.: 022-28041266 / 28041292 / 28626499 • Fax: 022-28041291 / 28663077 • E-mail: samir123@vsnl.net

# DEYBROS

PADDY DE-HUSKING RUBBER ROLLS

*The Ultimate. . .*

## **INTRODUCTION**

In 1988, a humble beginning was made by setting up of a unit at (Nasik) Maharashtra, India where various types of high performance industrial rubber products including paddy-dehusking rolls were manufactured and marketed domestically and globally under the name of 'Deybros Rubber Rolls'.

Our manufacturing facilities equipped with modern technology and research and development in state-of-the-art laboratory ensures that you get consistency, reliability and high performance. Stringent quality control along with closely well knitted formulation suitable for the paddy-dehusking rolls has made 'Deybros' the ultimate choice of many rice mill owners.

Every step of manufacturing process is carefully monitored from raw material stage till dispatch. The infrastructure and processes have been integrated so as to meet quality standards. When you think of an organisation that leads by finesse, you think of **DEYBROS**.

## **SALIENT FEATURES**

**Shelling Efficiency:**

It has shelling efficiency of 90% and above for each shelling.

**Bonding Strength:**

Guaranteed against bond between Rubber and Shell.

**Heat Resistance:**

Raw materials used in the rubber compound are perfectly cured to enhance high degree of heat resistance even after continuous shelling.

**Shelling Quality:**

Balanced elasticity and hardness gives smooth shelling without vibrations thereby ensuring safeguard towards breakage of rice.

**Excellent Wear Resistance:**

Well formulated compound 'Deybros' Rubber Rolls has excellent wear resistance at working temperatures.

## RANGE OF RUBBER ROLLS (MANUAL SHELLER)


SR. NO.	TYPE OF ROLL	LENGTH IN MM	OD IN MM	ID IN MM
1	Stake / Binny F2 / F3-10"	254	260	202 / 203
2	Schule / Dhandekar DS / DL-10"	260	224	157 / 158
3	Schule DS / DL-6"	152	224	157 / 158
4	Schule DS / DL-5"	152	224	157 / 158
5	DL/6" Single Key	152	224	158



## SPECIFICATIONS

SR. NO.	SIZE 6" X 8 3/4"	SIZE 10" X 10"	SIZE 12" X 10"
A	224.0 ± 1 <sup>(mm)</sup>	254.0 ± 1 <sup>(mm)</sup>	256.0 ± 1 <sup>(mm)</sup>
B	180.0 ± 0.5	205.0 ± 1	205.0 ± 0.5
C	170.0 ± 0.5	195.0 ± 0.5	195.0 ± 0.5
D	140.0 ± 0.5	142.0 ± 0.5	142.0 ± 0.5
E	114.0 ± 0.5	116.0 ± 0.3	116.0 ± 0.3
F	13.0 x 3 Hole	13.0 x 4 Hole	13.0 x 4 Hole
G	152.0 ± 0.5	254.0 ± 0.5	305.0 ± 0.5
H	67.0 ± 0.5	117.0 ± 0.5	142.0 ± 0.5
I	9.0 ± 0.5	10.0 ± 0.3	12.0 ± 0.3
J	76.0 ± 0.5	127.0 ± 0.3	152.0 ± 0.5

## CAST IRON / M S FABRICATED / ALUMINIUM DRUM SLEEVES



We also manufacture 14" rubber rolls suitable for milltec machine .

## RANGE OF RUBBER ROLLS (MANUAL SHELLER)


SR. NO.	TYPE OF ROLL	LENGTH IN MM	OD IN MM	ID IN MM
1	Stake / Binny F2 / F3-10"	254	260	202 / 203
2	Schule / Dhandekar DS / DL-10"	260	224	157 / 158
3	Schule DS / DL-6"	152	224	157 / 158
4	Schule DS / DL-5"	152	224	157 / 158
5	DL/6" Single Key	152	224	158



## SPECIFICATIONS

SR. NO.	SIZE 6" X 8 3/4"	SIZE 10" X 10"	SIZE 12" X 10"
A	224.0 ± 1 <sup>(mm)</sup>	254.0 ± 1 <sup>(mm)</sup>	256.0 ± 1 <sup>(mm)</sup>
B	180.0 ± 0.5	205.0 ± 1	205.0 ± 0.5
C	170.0 ± 0.5	195.0 ± 0.5	195.0 ± 0.5
D	140.0 ± 0.5	142.0 ± 0.5	142.0 ± 0.5
E	114.0 ± 0.5	116.0 ± 0.3	116.0 ± 0.3
F	13.0 x 3 Hole	13.0 x 4 Hole	13.0 x 4 Hole
G	152.0 ± 0.5	254.0 ± 0.5	305.0 ± 0.5
H	67.0 ± 0.5	117.0 ± 0.5	142.0 ± 0.5
I	9.0 ± 0.5	10.0 ± 0.3	12.0 ± 0.3
J	76.0 ± 0.5	127.0 ± 0.3	152.0 ± 0.5

## CAST IRON / M S FABRICATED / ALUMINIUM DRUM SLEEVES



We also manufacture 14" rubber rolls suitable for milltec machine .

## BRANDS AVAILABLE

DEYBROS PREMIUM™

FIELDMARSHAL PREMIUM™

ॐ SRI SAI PREMIUM™

RAINBOW PREMIUM™

## GUARANTEE

Our products are guaranteed against any manufacturing defect.



## DEYBROS POLYMER PRODUCT

House of Industrial Rubber Products

### NASIK

Plot No. 76 & 83, Sinnar Taluka Co-op. Industrial Estate Ltd., Nasjk-Shirdi Road, Musalgaon, Sinnar: 422103,  
Dist. Nasik (Maharashtra). INDIA.

Tel. +91-2551-240157 / 58

### MUMBAI

41, Mantri House, Swami Samartha Lane, Off M. G. Road, Opp Samruddhi Shopping Centre, Kandivli (W),  
Mumbai 400 067. INDIA.


Tel.: +91-22-28041266 / 28041292 / 28046345 / 28046346 • Fax: +91-22-28041291 • Mobile: +91 91678 51351

E-mail: samirdey05@gmail.com / info@deybrospolymer.in

www.deybrospolymer.com



# SRI SAI RUBBER ROLLS



The Ultimate...

## INTRODUCTION

In 1988, a humble beginning was made by setting up of a unit at Nasik where various types of high performance industrial rubber products including rice-dehusking rolls and polishers were manufactured and marketed domestically and globally under the name of 'ॐ Sri Sai' rubber rolls.

Our manufacturing facilities equipped with German technology and research and development in state-of-the-art laboratory ensures that you get consistency, reliability and high performance. Stringent quality control along with closely well knitted formulation suitable for the rice dehusking rolls has made 'ॐ Sri Sai' the ultimate choice of many rice mill owners. Every step of manufacturing process is carefully monitored from raw material stage till dispatch. The infrastructure and processes have been integrated so as to meet quality standards. When you think of an organisation that leads by finesse, you think of DEYBROS.



## SALIENT FEATURES

### **SHELLING EFFICIENCY:**

It has shelling efficiency of 85% to 90% for each shelling.

### **BONDING STRENGTH:**

Guaranteed against bond between Rubber and Shell.

### **HEAT RESISTANCE:**

Raw materials used in the rubber compound are perfectly cured to enhance high degree of heat resistance even after continuous shelling.

### **SHELLING QUALITY:**

Balanced elasticity and hardness gives smooth shelling without vibrations thereby ensuring safeguard towards breakage of rice.

### **EXCELLENT WEAR RESISTANCE:**


Well formulated compound "ॐ Sri Sai" Rubber Rolls has excellent wear resistance at working temperatures.



## RANGE OF RUBBER ROLLS

SR.NO.	TYPE OF ROLL	LENGTH IN MM	OD IN MM	ID IN MM
1	Stake / Binny F2/F3-10"	254	260	202 / 203
2	Schule / Dhandekar DS/DL-10"	260	224	157 / 158
3	Schule DS / DL-6"	152	224	157 / 158
4	Schule DS / DL-5"	152	224	157 / 158
5	DL/6" Single key	152	224	158

## MILD STEEL / CAST IRON / ALUMINIUM DRUM SLEEVES



## SPECIFICATIONS

SR. NO.	SIZE 4" x 8 3/4"	SIZE 6" x 8 3/4"	SIZE 8" x 8 3/4"	SIZE 10" x 10"
A	222.0 ± 1 (mm)	222.0 ± 1 (mm)	222.0 ± 1 (mm)	254.0 ± 2 (mm)
B	185.5 ± 0.5	183.5 ± 0.5	185.5 ± 0.5	2.5 ± 1
C	175.5 ± 0.5	174 ± 0.5	175.5 ± 0.5	195 ± 1
D	139.7 ± 0.5	139.7 ± 0.5	140.0 ± 0.5	142.0 ± 0.5
E	114.3 ± 0.1	114.3 ± 0.1	115.0 ± 0.1	116.0 ± 0.3
F	13.0 x 3 Hole	13.0 x 3 Hole	13.0 x 3 Hole	13.0 x 4 Hole
G	101.6 ± 0.5	152.4 ± 0.5	203.0 ± 0.5	254 ± 0.5
H	43.3 ± 0.5	69.2 ± 0.5	75.0 ± 0.5	117.0 ± 0.5
I	5.0 ± 0.3	8.0 ± 0.3	8.0 ± 0.3	10.0 ± 0.3
J	53.3 ± 0.3	76.2 ± 0.3	120.0 ± 0.3	127.0 ± 0.3


Besides above, we can manufacture 12", 14" and 20" length rolls.

## GUARANTEE

Our products are guaranteed against any manufacturing defect.  
Free replacement is given after ensuring the defect by our field representative.

## CAUTION

ॐ Sri Sai rolls are marketed only through genuine outlets state wise.  
For further details contact our sales office.



## DEYBROS POLYMER PRODUCT

House of Industrial Rubber Products

### NASIK :

Plot No. 76 & 83, Sinnar Taluka Co-op. Industrial Estate Ltd., Nasik-Shirdi Road, Musalgaon, Sinnar : 422103,  
Dist. Nasik (Maharashtra). INDIA.  
Tel + 91-2551-240157/58

### MUMBAI :

41, Mantri House, Swami Samarth Lane, Off M. G. Road, Opp. Samruddhi Shopping Centre, Kandivli (W),  
Mumbai 400 067. INDIA.  
Tel.: +91-22-28041266/28041292/28046345/28046346 Fax: +91-22-28041291  
E-mail: samir123@vsnl.net / deandnephew@rediffmail.com  
[www.deybrospolymer.com](http://www.deybrospolymer.com)